### MA'RS GLOBAL SURVEYOR NAVIGATION AND AEROBRAKING AT MARS

P. Esposito, V. Alwar, S. Demcak, E. Graat, M. Johnston and R. Mase Jet Propulsion Laboratory, California Institute of Technology 4800 Oak Grove Drive

> Pasadena, California 91109, USA E-mail: Pasquale.B.Esposito@jpl.nasa.gov Phone: (818) 393-1264; Fax: (818) 393-3147

The Mars Global Surveyor (MGS) spacecraft was successfully inserted into an elliptical orbit around Mars on 9/12/97, 01:53:49 UTC. This orbit was near polar (inclination=93.26 deg) with an orbital period of 44.993 hours and apoapsis and periapsis altitudes of 54,025.9 km and 262.9 km respectively. After a short aerobraking (AB) initiation interval (9/12/97 to 10/2/97), the main phase of AB or orbit period reduction was established. However shortly thereafter, a significant problem with the minus-Y axis solar array developed which necessitated a temporary suspension of AB. Ultimately, this forced the Project to abandon the original plan to complete AB on 1/18/98 and establish the mapping orbit on 3/15/98.

The revised plan called for a reduced level of AB, thus subjecting the solar array and yoke assembly to less aerodynamic stress. After 201 orbits and 196 days after MOI, the first phase of AB has ended; the orbital period was 11.64 hours with apoapsis and periapsis altitudes of 17,870.3 and 170.7 km respectively. At present, MGS is in a science phasing orbit (SPO) and shall acquire science data from 3/28/98 to 9/11/98. Thereafter the second phase of AB shall begin and is expected to end during Feb 1999 when the orbital period shall be 1.9 hours and the orbit's descending node shall be at the 2:00 am (local mean solar time) orientation.

#### MARS ORBIT INSERTION AND CAPTURE ORBIT ACCURACY

The Mars Global Surveyor (MGS) spacecraft was successfully inserted into an elliptical orbit around Mars on 9/12/97, 01:53:49 UTC. This was accomplished by accurate orbit determination establishing the Mars approach trajectory and precise control of the spacecraft during the main-engine, Mars orbit insertion (MOI) burn. The velocity-change specified by the Navigation Team was accomplished as a "pitch-over" maneuver. Thus, the thrust vector was directed along the spacecraft's anti-velocity vector throughout the burn. A pitch-rate of 1.21 deg/min was specified for the burn duration resulting in a 27.5 deg burn, angular arc centered on periapsis. This procedure was adopted in order to improve the efficiency of this maneuver. It saved the equivalent of 20 m/s in propellant as compared to an inertially-fixed attitude. The implementation of the MOI burn involved a 20 sec ullage burn using a series of eight small thrusters, with an effective thrust of 31.1 N, followed by

a 1339.7 sec firing of the main engine, with an effective thrust of 655.3 N. The braking velocity-change was 973.0 m/sec. Both targeted and achieved capture orbital elements are specified in Table 1. This paper provides a continuation of the state of navigation activities; interplanetary phase results were presented in Ref. 1.

## Table 1 MGS MARS ORBIT INSERTION RESULTS

Orbit Element	Target Value	Achieved Value
Period, hours	45.0	44.993
Periapsis altitude, km	250.0	262.9
Inclination, deg	93.3	93.258

#### AEROBRAKING INITIALIZATION

With the capture orbit established, we now initialized aerobraking by gently stepping into the atmosphere, by lowering the periapsis altitude, by a series of small propulsive maneuvers executed at apoapsis. Our orbit numbering procedure identified the first periapsis which occurred during the MOI maneuver as P1. Thus, orbit one started at P1, goes through the first apoapsis, A1, and ends at the second periapsis, P2. A series of six AB initialization maneuvers occurred as shown in Table 2. Given are the velocity-change magnitude for each maneuver, the resulting periapsis altitude and an estimate of the atmospheric density and dynamic pressure at the altitude shown. The densities were derived from an analysis of approximately one orbit of two-way, coherent doppler data. This completed the initialization or walk-in phase; the next AB phase, called the main phase, was defined by a dynamic pressure corridor with upper and lower limits being 0.68 N/m² and 0.58 N/m² respectively. The upper limit provided for adequate orbit period reduction and safety against aerodynamic heating of critical spacecraft components. The lower limit insured a minimum level of orbit period reduction. Ref. 2 provides the basis for the AB design and planning implemented during flight operations.

Two basic requirements were levied on navigation to insure that MGS was in the correct attitude throughout the drag pass and to guard against unexpected, intrinsic density variation from periapsis to periapsis. These were a) predict the time of periapsis-passage (Tp) to within 225 seconds and b) predict the altitude at periapsis-passage (hp) to within 1.5 km.

Table 2
INITIALIZATION OF AEROBRAKING: THE WALK-IN PHASE

Apoapsis	Velocity-	Resultant	Atmospheric
and	Change	Periapsis	Density and Dynamic
Walk-in	Magnitude,	Altitude,	Pressure at Periapsis,
Maneuver	m/sec_	km	$kg/km^3$ : $N/m^2$
3 AB-1	4.4	149.3	0.36; 0.00 at P4
4 AB-2	0.8	128.4	5.61; 0.06 at P5
5 AB-3	0.3	121.4	10.7; 0.12 at P6
7 AB-4	0.2	116.1	20.1; 0.23 at P8
10 AB-5	0.2	111.2	42.2; 0.49 at P11
11 AB-6	0.05	110.5	45.7; 0.53 at P12

#### MAIN PHASE AEROBRAKING AND TEMPORARY SUSPENSION

The main phase of AB began with P12 on 10/2/97. During P12 through P15, the orbital period decreased on average by 75.1 min per pass or from 40.4 hours to 36.4 hours due to AB. However, during these periapses a problem was detected with one of the solar arrays; the minus-Y axis, solar array was deflecting more than was expected as MGS was going through periapsis-passage. During this time, the plus-Y axis, solar array behaved normally. In order to proceed prudently, the Project decided to reduce the AB induced pressure on the solar array and thus the periapsis altitude was increased by 11.0 km with a maneuver at A15. During P16 through P18, the solar array problem persisted and a decision was made to raise the periapsis altitude out of the atmosphere. On A18, this maneuver was performed which increased the altitude to 171.7 km at the following periapsis. MGS remained in this "hiatus orbit" for eighteen orbits (P19 through P36). Mean atmospheric densities were determined for each of these using doppler data and analysis to be described in the next section. After considerable analysis and review of engineering and science data and solar panel ground tests (Ref. 3), AB was resumed with maneuver ABM-3 on 11/7/97. However, the intensity of AB was reduced to a safer level: the new dynamic pressure corridor was 0.15 to 0.25 N/m<sup>2</sup>.

Table 3
ABMs EXECUTED TO ESTABLISH THE "HIATUS ORBIT"

Apoapsis	Velocity-	Resultant	Atmospheric
and ABM	Change	Periapsis	Density and Dynamic
	Magnitude,	Altitude,	Pressure at Periapsis,
	m/sec	<u>km</u>	$kg/km^3$ ; $N/m^2$
15 ABM-1	0.5	121.0	17.8; 0.20 at P16
18 ABM-2	2.3	171.7	0.04; 0.00 at P19

#### WALK-IN AND RE-ESTABLISH THE MAIN PHASE OF AEROBRAKING

A second walk-in strategy was executed similar to the first walk-in procedure; that is, by slowly reducing the altitude at periapsis by ABMs and assessing the atmospheric density. Once the safety of the spacecraft was assured, another ABM was executed decreasing the periapsis altitude. This continued until a steady level of period reduction (or the dynamic pressure was within the new corridor) was achieved while maintaining safety margins for any stress exerted on the solar array and yoke assembly.

#### **Orbit Analysis Strategy**

From MOI until the end of phase 1 AB, orbit determination was performed every orbit by analysis primarily of two-way coherent doppler and on occasion using one-way doppler (spacecraft to station doppler-shift using the ultra-stable oscillator on the spacecraft as the frequency reference). This was done to a) determine the atmospheric density at periapsis, b) establish a density database for trending and prediction, c) provide the spacecraft team with orbital predictions within the previously stated requirements, d) provide the science teams reconstructed and predicted orbital information for planning and analysis and e) provide the DSN with tracking station angular and doppler-shift predictions. The data acquisition strategy was to acquire a little over one orbit of doppler measurements extending 2-5 hours past periapsis-passage. Because of the spacecraft's

attitude during the drag pass and the geocentric occultation, no tracking data were acquired within approximately one hour centered on periapsis-passage. Range data were acquired occasionally but for Mars ephemeris refinement rather than for orbit determination.

A fiftieth order and degree Mars gravity field model was used as the reference model in this analysis and is described in Ref. 4. Initial estimates of Mars atmospheric density were determined from the Mars-GRAM (MG) program (Ref. 5). This density information was converted to a static, exponential density model with three input parameters: the base density at the base altitude and the density scale height. Note that other perturbations occurred throughout periapsis-passage, notably spacecraft thrusting in order to maintain spacecraft attitude. Thrusting usually started 5-7 minutes after periapsis and lasted intermittently for about 5 minutes. This effect was modeled initially in our software from telemetry information provided by the spacecraft team. The effective velocity perturbation due to thrusting, usually 1-10 mm/sec, was small compared to that due to the integrated drag effect, approximately 1 m/sec (excluding the hiatus orbits).

In a representative analysis, doppler data were sampled at sixty second intervals. Post-fit doppler residuals generally have a standard deviation of 2.9 mHz (X-band) or 0.051 mm/sec in range-rate.

#### Atmospheric Density Determination and Orbit Period Reduction

The acceleration due to atmospheric drag was modeled in the navigation software as

$$\ddot{\vec{r}} = -\frac{1}{2}\rho v_r^2 \frac{C_d A}{m} \hat{v}_r \tag{1}$$

with an exponential density model

$$\rho = \rho_o e^{-(h - h_\sigma)/H}. \tag{2}$$

In these equations,  $C_d$  is the drag coefficient (= 1.89 initially and 1.99 after P13), A the effective, cross-sectional area of the spacecraft (= 17.02 m²), m the mass (= 766.1 kg after MOI to 764.0 kg after A201),  $\rho(h)$  is the density at altitude h and  $v_r$  is the spacecraft's velocity relative to the atmosphere. The base density and altitude are given by  $\rho_o$  and  $h_o$  with H being the density scale height. Note that the dynamic pressure is defined as  $\rho v_r^2/2$  as in Eq. 1. An estimate of the orbit period change per periapsis passage is given by (Ref. 6)

$$\Delta P = -6\pi \left(\frac{\pi}{2}\right)^{\frac{1}{2}} \frac{C_d A}{m} \rho_p H^{\frac{1}{2}} \frac{a^2}{\mu} \left[ \frac{(1+e)^3}{e(1-e)} \right]^{\frac{1}{2}}$$
 (3)

where  $\rho_p$  is the density at periapsis, a and e are the orbit's semi-major axis and eccentricity and  $\mu$  is Mars' gravitational constant (= 42,828.3 km³/sec²). It is clear from Eq. 3 that the periapsis density and scale height will be highly correlated if one attempts to solve for both parameters from a single orbit of data under the data acquisition condition mentioned previously. Also note that for the same density, significantly larger period reduction shall occur early in AB because of the dependence on the square of the semi-major axis.

For every orbit, the base density was estimated, holding the scale height constant, along with other relevant parameters. Based upon the Viking mission results (Ref. 7) and a cooperative collaboration with the MGS accelerometer experiment team (Ref. 8), we used an average scale height of 6.5-7.0 km throughout much of our analysis. This was the basis for the determination of the densities and dynamic pressures given in Tables 2-5 and Figures 1 and 2. The single density near 150 km was evaluated during the initial walk-in and the smaller densities were determined during the hiatus orbits and several orbits in the SPO phase.

The orbit period reduction due to AB is summarized in Figure 3. Clearly shown is the initial steep rate of period reduction, the suspension of AB and the re-initialization of AB at a reduced level. Figure 4 shows the period change per orbit. The largest period change per orbit, -93.9 min, occurred on P15 when the density was 78.3 kg/km<sup>3</sup> corresponding to a dynamic pressure of 0.90 N/m<sup>2</sup>. Note that this figure was truncated at minus 30 min in order to clearly resolve smaller period changes.






Figure 1 Atmospheric Density At Periapsis Evaluated At The Altitudes Shown Throughout AB Phase 1.



Altitude, km
Figure 2 Atmospheric Density At Periapsis From MOI To SPO.



Orbit Number
Figure 3 Overview Of Period Reduction With Corresponding Periapsis Altitudes.




Figure 4 Period Changes Per Orbit During AB.

#### ABMs - Adjusting the Altitude At Periapsis-Passage For Corridor Control

During the main phase of the revised AB plan, the near term objective was to achieve an 11.64 hour orbit period by 3/22/98 but no later than 4/22/98 near the start of the solar conjunction phase of the mission. While this provided substantial time margin for achieving the objective, an early termination of AB was desirable. This would allow more science data acquisition in the SPO prior to solar conjunction which shall occur on 5/13/98.

In principle, the plan was straightforward. Stay within the dynamic pressure corridor, achieve the expected level of orbit period reduction and terminate AB as scheduled. In practice, difficulties arose because of the uncertainty in predicting the atmospheric density throughout the drag pass even one orbit into the future.

Assembled in Table 4 are all of the AB propulsive maneuvers (ABMs) necessary for MGS to remain within the dynamic pressure (or density or periapsis altitude) corridor established in the overall plan. For the most part, third body perturbations due to the Sun and Mars' gravity field tended to increase hp. As the density decreased, period reduction would be reduced beyond the lower limit necessary to keep AB on schedule. Thus, a "down" ABM would be executed. Some ABMs were executed to increase hp (an "up" ABM) either as a response to a) the Noachis regional dust storm (centered approximately at 0 deg longitude and 40 deg south latitude) on A51 and b) approaching or exceeding the upper limit of the corridor thereby threatening the already weakened solar array assembly. In this table, "up" ABMs are indicated with an asterisk and "+" signs mean the ABM was executed several hours after apoapsis

# Table 4 ABMs FOR WALK-IN AND MAIN PHASE AEROBRAKING

Appaysis and   Altitude,   A			Velocity-	Resultant	Atmospheric
and ABM         Magnitude, m/sec         Altitude, m/sec         Pressure at Periapsis, kg/km³. N/m²           36         ABM-3         1.9         134.8         2.25; 0.03 at P37           37         ABM-4         0.3         128.6         4.41; 0.05 at P38           39         ABM-5         0.2         124.2            39         ABM-7+         0.5 *         124.2         12.1; 0.14 at P40           41         ABM-8         0.2         120.5         22.4; 0.26 at P42           49         ABM-9         0.1         123.5         12.2; 0.14 at P50           51         ABM-10         0.1 *             51         ABM-11         0.25 *         131.7         5.40; 0.06 at P52           56         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-13         0.2         127.1         13.8; 0.16 at P62           64         ABM-13         0.2         127.1         13.8; 0.16 at P62           64         ABM-16         0.1         125.7         15.6; 0.18 at P67           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         <	Apoar	osis			
ABM         m/sec         km         kg/km²: N/m²           36         ABM-3         1.9         134.8         2.25; 0.03 at P37           37         ABM-5         0.2         124.2            39         ABM-6+         0.2         120.2            39         ABM-7+         0.5 *         124.2         12.1; 0.14 at P40           41         ABM-8         0.2         120.5         22.4; 0.26 at P42           49         ABM-9         0.1         123.5         12.2; 0.14 at P50           51         ABM-10         0.1 *             51         ABM-11+         0.25 *         131.7         5.40; 0.06 at P52           56         ABM-12         0.1         131.8         15.7; 0.18 at P57           59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-19         0.1         122.7         15.6; 0.18 at P67<	and				
36 ABM-3 37 ABM-4 39 ABM-5 0.2 124.2 39 ABM-6+ 0.2 120.2 39 ABM-7+ 10.5 * 124.2 12.1; 0.14 at P40 41 ABM-8 0.2 120.5 22.4; 0.26 at P42 49 ABM-9 0.1 123.5 12.2; 0.14 at P50 11 ABM-10 0.1 * 11 ABM-11+ 0.25 * 131.7 5.40; 0.06 at P52 136 ABM-13 0.2 130.0 12.9; 0.15 at P60 14 ABM-15 0.1 126.9 127.1 138, 0.16 at P62 14 ABM-16 0.1 125.7 15.6; 0.18 at P67 15.6; 0.18 at P67 15.6; 0.18 at P67 15.6; 0.18 at P67 15.6; 0.19 12.5; 0.14 at P65 16 ABM-16 0.1 125.7 15.6; 0.18 at P67 17.6; 0.19 12.5; 0.14 at P65 18.0 19.0 10.1 10.1 10.1 10.1 10.1 10.1 10	_ABN	<u></u>	. •		kg/km <sup>3</sup> : N/m <sup>2</sup>
37 ABM-4 39 ABM-5 39 ABM-6+ 39 ABM-6+ 39 ABM-7+ 40.5 * 124.2 39 ABM-7+ 41 ABM-8 30.2 120.5 22.4; 0.26 at P42 41 ABM-8 30.1 123.5 122.2; 0.14 at P40 41 ABM-8 30.2 120.5 122.2; 0.14 at P50 11 ABM-10 0.1 * 11 ABM-11+ 0.25 * 131.7 12.2; 0.14 at P50 13.8 15.7; 0.18 at P57 15.6 15.6 15.6 15.6 15.7 15.6 15.6 16.7 15.6 16.7 15.6 16.7 16.7 16.7 16.7 16.7 16.7 16.7 16	36	ABM-3			
39 ABM-5 39 ABM-6+ 30 ABM-6+ 30 ABM-7+ 30 ABM-7+ 41 ABM-8 42 120.5 43 ABM-9 44 ABM-9 55 ABM-11+ 56 ABM-12 57 ABM-13 58 ABM-15 59 ABM-13 60 ABM-15 60 ABM-15 60 ABM-15 60 ABM-16 61 ABM-16 61 ABM-16 61 ABM-17 61 ABM-18 60 ABM-19 70 ABM-18 70 ABM-19 71 ABM-20 72 ABM-20 73 ABM-20 74 ABM-20 75 ABM-20 76 ABM-20 77 ABM-20 78 ABM-20 79 ABM-21 70 ABM-27 70 ABM-27 71 ABM-27 71 ABM-28 71 ABM-29 72 ABM-25 73 ABM-25 74 ABM-26 75 ABM-27 76 ABM-27 77 ABM-27 78 ABM-29 79 ABM-25 79 ABM-27 70 ABM-28 70 ABM-29 70 ABM-29 70 ABM-29 70 ABM-29 70 ABM-20 70 ABM-21 70 ABM-26 70 ABM-31 70 ABM-27 70 ABM-27 70 ABM-27 70 ABM-27 70 ABM-28 70 ABM-29 70 ABM-31 70 ABM-30 70 ABM-31 70 ABM-30 70 ABM-31 70 ABM-30 70 ABM-31 70 ABM-31 70 ABM-33 70 ABM-33 70 ABM-33 70 ABM-34 70 ABM-35 70 ABM-39 70 ABM-37 70 ABM-39 70 ABM-40	37	ABM-4			
39 ABM-6+ 39 ABM-7+ 39 ABM-7+ 39 ABM-7+ 30.5 * 124.2 12.1; 0.14 at P40 41 ABM-8 30.2 120.5 22.4; 0.26 at P42 49 ABM-9 31 123.5 12.2; 0.14 at P50 51 ABM-10 31	39	ABM-5			
39 ABM-7+ 41 ABM-8 0.2 120.5 22.4; 0.26 at P42 49 ABM-9 0.1 123.5 12.2; 0.14 at P50 51 ABM-10 0.1*	39	ABM-6+			
41 ABM-8 49 ABM-9 O.1 123.5 12.2; 0.14 at P50 11 ABM-10 O.1 * 51 ABM-110 O.1 * 51 ABM-11+ O.25 * 131.7 5.40; 0.06 at P52 56 ABM-12 O.1 131.8 15.7; 0.18 at P57 59 ABM-13 O.2 130.0 12.9; 0.15 at P60 61 ABM-14 O.2 127.1 13.8; 0.16 at P62 64 ABM-15 O.1 126.9 12.5; 0.14 at P65 66 ABM-16 O.1 125.7 15.6; 0.18 at P67 67 ABM-17 O.1 124.8 17.9; 0.20 at P68 67 ABM-18 O.2 122.4 20.6; 0.23 at P71 67 ABM-19 O.1 123.9 17.2; 0.19 at P77 78 ABM-20 O.1 123.4 20.6; 0.23 at P79 80 ABM-21 O.1 122.1 23.5; 0.26 at P81 82 ABM-22 O.1 120.8 27.3; 0.31 at P83 89 ABM-23 O.17 120.9 20.2; 0.23 at P90 96 ABM-24 O.11 121.3 24.4; 0.27 at P97 99 ABM-25 O.11 121.2 19.9; 0.22 at P100 101 ABM-26 O.12 120.4 24.5; 0.27 at P102 107 ABM-27 O.18 1120.1 120.1 120.8 114 ABM-28 O.12 121.0 162; 0.18 at P115 116 ABM-29 O.06 120.6 13.0; 0.14 at P17 118 ABM-30 O.13 119.0 163; 0.14 at P117 118 ABM-30 O.13 119.0 164; 0.12 at P113 126 ABM-31 O.07 119.4 123.3 0.14 at P117 118 ABM-30 O.13 117.3 20.1; 0.22 at P131 136 ABM-34 O.13 117.3 20.1; 0.22 at P131 136 ABM-35 O.13 119.0 15.8; 0.17 at P137 138 ABM-36 O.23 117.4 18.2; 0.20 at P131 141 ABM-38 O.15 * 116.1 37.4; 0.41 at P141 141 ABM-38 O.15 * 116.1 37.4; 0.41 at P141 141 ABM-38 O.15 * 116.1 37.4; 0.41 at P141 141 ABM-38 O.15 * 116.7 14.0; 0.15 at P166 169 ABM-45 O.17 118.0 13.7; 0.15 at P160	39	ABM-7+			12.1; 0.14 at P40
49         ABM-9         0.1         123.5         12.2; 0.14 at P50           51         ABM-10         0.1 *            51         ABM-11+         0.25 *         131.7         5.40; 0.06 at P52           56         ABM-12         0.1         131.8         15.7; 0.18 at P57           59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P71           78         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P79           99         ABM-24         0.11		ABM-8	0.2		
51         ABM-10         0.1 *             56         ABM-12         0.1         131.8         15.7; 0.18 at P57           59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-17         0.1         124.8         17.9; 0.20 at P68           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         122.1         23.5; 0.26 at P81           82         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P102           101         ABM-25         0		ABM-9	0.1	123.5	
56         ABM-12         0.1         131.8         15.7; 0.18 at P57           59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-17         0.1         124.8         17.9; 0.20 at P68           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P97           99         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25		ABM-10	0.1 *		
56         ABM-12         0.1         131.8         15.7; 0.18 at P57           59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-17         0.1         124.8         17.9; 0.20 at P68           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26 <td></td> <td>ABM-11+</td> <td>0.25 *</td> <td>131.7</td> <td>5.40; 0.06 at P52</td>		ABM-11+	0.25 *	131.7	5.40; 0.06 at P52
59         ABM-13         0.2         130.0         12.9; 0.15 at P60           61         ABM-14         0.2         127.1         13.8; 0.16 at P62           64         ABM-15         0.1         126.9         12.5; 0.14 at P65           66         ABM-16         0.1         125.7         15.6; 0.18 at P67           67         ABM-17         0.1         124.8         17.9; 0.20 at P68           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26         0.12         120.4         24.5; 0.27 at P102           107         ABM-27<		ABM-12	0.1	131.8	
61 ABM-14 0.2 127.1 13.8; 0.16 at P62 64 ABM-15 0.1 126.9 12.5; 0.14 at P65 66 ABM-16 0.1 125.7 15.6; 0.18 at P67 7 ABM-17 0.1 124.8 17.9; 0.20 at P68 70 ABM-18 0.2 122.4 20.6; 0.23 at P71 76 ABM-19 0.1 123.9 17.2; 0.19 at P77 78 ABM-20 0.1 123.4 20.6; 0.23 at P79 80 ABM-21 0.1 122.1 23.5; 0.26 at P81 82 ABM-22 0.1 120.8 27.3; 0.31 at P83 89 ABM-23 0.17 120.9 20.2; 0.23 at P90 96 ABM-24 0.11 121.3 24.4; 0.27 at P97 99 ABM-25 0.11 121.2 19.9; 0.22 at P100 101 ABM-26 0.12 120.4 24.5; 0.27 at P102 107 ABM-27 0.18 120.1 20.8; 0.23 at P108 114 ABM-28 0.12 121.0 16.2; 0.18 at P115 116 ABM-29 0.06 120.6 13.0; 0.14 at P117 118 ABM-30 0.13 120.0 16.7; 0.18 at P117 122 ABM-31 0.07 119.4 12.3; 0.14 at P121 122 ABM-32 0.13 118.6 14.8; 0.16 at P123 136 ABM-34 0.13 117.3 20.1; 0.22 at P131 136 ABM-35 0.13 117.3 20.1; 0.22 at P131 136 ABM-37 0.15 116.1 37.4; 0.41 at P137 138 ABM-36 0.23 117.4 18.2; 0.20 at P139 140 ABM-37 0.15 116.1 37.4; 0.41 at P141 141 ABM-38 0.15 116.7 24.8; 0.27 at P155 155 ABM-41 0.08 116.2 16.7; 0.18 at P156 159 ABM-42 0.09 120.2 14.3; 0.15 at P166 169 ABM-45 0.17 118.0 13.7; 0.15 at P160 160 ABM-45 0.17 118.0 13.7; 0.15 at P160 160 ABM-45 0.17 118.0 13.7; 0.15 at P160 160 ABM-45 0.17 118.0		ABM-13	0.2		
64 ABM-15 0.1 126.9 12.5; 0.14 at P65 66 ABM-16 0.1 125.7 15.6; 0.18 at P67 67 ABM-17 0.1 124.8 17.9; 0.20 at P68 67 ABM-18 0.2 122.4 20.6; 0.23 at P71 67 ABM-19 0.1 123.9 17.2; 0.19 at P77 78 ABM-20 0.1 123.4 20.6; 0.23 at P79 80 ABM-21 0.1 122.1 23.5; 0.26 at P81 82 ABM-22 0.1 120.8 27.3; 0.31 at P83 89 ABM-23 0.17 120.9 20.2; 0.23 at P90 96 ABM-24 0.11 121.3 24.4; 0.27 at P97 99 ABM-25 0.11 121.2 19.9; 0.22 at P100 101 ABM-26 0.12 120.4 24.5; 0.27 at P102 107 ABM-27 0.18 120.1 20.8; 0.23 at P108 114 ABM-28 0.12 121.0 16.2; 0.18 at P115 116 ABM-29 0.06 120.6 13.0; 0.14 at P117 118 ABM-30 0.13 120.0 16.7; 0.18 at P119 120 ABM-31 0.07 119.4 12.3; 0.14 at P121 122 ABM-32 0.13 118.6 14.8; 0.16 at P123 123 ABM-33 0.13 116.9 28.7; 0.32 at P137 136 ABM-35 0.13 119.0 15.8; 0.17 at P137 138 ABM-36 0.23 117.4 18.2; 0.20 at P139 140 ABM-37 0.15 116.1 37.4; 0.41 at P141 141 ABM-38 0.15 * 118.4 19.2; 0.21 at P142 142 ABM-39 0.15 116.7 24.8; 0.27 at P155 155 ABM-41 0.08 116.2 16.7; 0.18 at P156 159 ABM-42 0.09 * 117.5 31.4; 0.34 at P160 160 ABM-43 0.17 * 119.4 14.0; 0.15 at P156 160 ABM-45 0.17 118.0 13.7; 0.15 at P160		ABM-14	0.2	127.1	
66 ABM-16 0.1 125.7 15.6; 0.18 at P67 67 ABM-17 0.1 124.8 17.9; 0.20 at P68 70 ABM-18 0.2 122.4 20.6; 0.23 at P71 76 ABM-19 0.1 123.9 17.2; 0.19 at P77 78 ABM-20 0.1 123.4 20.6; 0.23 at P79 80 ABM-21 0.1 122.1 23.5; 0.26 at P81 82 ABM-22 0.1 120.8 27.3; 0.31 at P83 89 ABM-23 0.17 120.9 20.2; 0.23 at P90 96 ABM-24 0.11 121.3 24.4; 0.27 at P97 99 ABM-25 0.11 121.2 19.9; 0.22 at P100 101 ABM-26 0.12 120.4 24.5; 0.27 at P102 107 ABM-27 0.18 120.1 20.8; 0.23 at P108 114 ABM-28 0.12 121.0 16.2; 0.18 at P115 116 ABM-29 0.06 120.6 13.0; 0.14 at P117 118 ABM-30 0.13 120.0 16.7; 0.18 at P119 120 ABM-31 0.07 119.4 12.3; 0.14 at P121 122 ABM-32 0.13 118.6 14.8; 0.16 at P123 123 ABM-33 0.13 116.9 28.7; 0.32 at P124 130 ABM-34 0.13 117.3 20.1; 0.22 at P131 136 ABM-35 0.13 119.0 15.8; 0.17 at P137 138 ABM-36 0.23 117.4 18.2; 0.20 at P139 140 ABM-37 0.15 116.1 37.4; 0.41 at P141 141 ABM-38 0.15 118.4 19.2; 0.21 at P142 145 ABM-39 0.15 116.8 21.4; 0.23 at P146 154 ABM-40 0.15 116.7 24.8; 0.27 at P155 155 ABM-41 0.08 116.2 16.7; 0.18 at P156 169 ABM-45 0.17 118.0 13.7; 0.15 at P166 169 ABM-45 0.17 118.0 13.7; 0.15 at P160	64	ABM-15	0.1	126.9	
67         ABM-17         0.1         124.8         17.9; 0.20 at P68           70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26         0.12         120.4         24.5; 0.27 at P102           107         ABM-27         0.18         120.1         20.8; 0.23 at P108           114         ABM-28         0.12         121.0         16.2; 0.18 at P115           116         ABM-30         0.13         120.0         16.7; 0.18 at P117           118         ABM-31         0.07         119.4         12.3; 0.14 at P121           122	66	ABM-16	0.1	125.7	
70         ABM-18         0.2         122.4         20.6; 0.23 at P71           76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26         0.12         120.4         24.5; 0.27 at P102           107         ABM-27         0.18         120.1         20.8; 0.23 at P108           114         ABM-28         0.12         121.0         16.2; 0.18 at P115           116         ABM-29         0.06         120.6         13.0; 0.14 at P117           118         ABM-30         0.13         120.0         16.7; 0.18 at P119           120         ABM-31         0.07         119.4         12.3; 0.14 at P121           122	67	ABM-17	0.1	124.8	
76         ABM-19         0.1         123.9         17.2; 0.19 at P77           78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26         0.12         120.4         24.5; 0.27 at P102           107         ABM-27         0.18         120.1         20.8; 0.23 at P108           114         ABM-28         0.12         121.0         16.2; 0.18 at P115           116         ABM-29         0.06         120.6         13.0; 0.14 at P117           118         ABM-30         0.13         120.0         16.7; 0.18 at P119           120         ABM-31         0.07         119.4         12.3; 0.14 at P121           122         ABM-33         0.13         118.6         14.8; 0.16 at P123           123	70	ABM-18	0.2	122.4	•
78         ABM-20         0.1         123.4         20.6; 0.23 at P79           80         ABM-21         0.1         122.1         23.5; 0.26 at P81           82         ABM-22         0.1         120.8         27.3; 0.31 at P83           89         ABM-23         0.17         120.9         20.2; 0.23 at P90           96         ABM-24         0.11         121.3         24.4; 0.27 at P97           99         ABM-25         0.11         121.2         19.9; 0.22 at P100           101         ABM-26         0.12         120.4         24.5; 0.27 at P102           107         ABM-27         0.18         120.1         20.8; 0.23 at P108           114         ABM-28         0.12         121.0         16.2; 0.18 at P115           116         ABM-29         0.06         120.6         13.0; 0.14 at P117           118         ABM-30         0.13         120.0         16.7; 0.18 at P119           120         ABM-31         0.07         119.4         12.3; 0.14 at P121           122         ABM-33         0.13         118.6         14.8; 0.16 at P123           123         ABM-33         0.13         116.9         28.7; 0.32 at P124           130 <td>76</td> <td>ABM-19</td> <td>0.1</td> <td></td> <td></td>	76	ABM-19	0.1		
80       ABM-21       0.1       122.1       23.5; 0.26 at P81         82       ABM-22       0.1       120.8       27.3; 0.31 at P83         89       ABM-23       0.17       120.9       20.2; 0.23 at P90         96       ABM-24       0.11       121.3       24.4; 0.27 at P97         99       ABM-25       0.11       121.2       19.9; 0.22 at P100         101       ABM-26       0.12       120.4       24.5; 0.27 at P102         107       ABM-27       0.18       120.1       20.8; 0.23 at P108         114       ABM-28       0.12       121.0       16.2; 0.18 at P115         116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         1	78	ABM-20	0.1	123.4	
82       ABM-22       0.1       120.8       27.3; 0.31 at P83         89       ABM-23       0.17       120.9       20.2; 0.23 at P90         96       ABM-24       0.11       121.3       24.4; 0.27 at P97         99       ABM-25       0.11       121.2       19.9; 0.22 at P100         101       ABM-26       0.12       120.4       24.5; 0.27 at P102         107       ABM-27       0.18       120.1       20.8; 0.23 at P108         114       ABM-28       0.12       121.0       16.2; 0.18 at P115         116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137 <t< td=""><td>80</td><td>ABM-21</td><td>0.1</td><td>122.1</td><td></td></t<>	80	ABM-21	0.1	122.1	
89       ABM-23       0.17       120.9       20.2; 0.23 at P90         96       ABM-24       0.11       121.3       24.4; 0.27 at P97         99       ABM-25       0.11       121.2       19.9; 0.22 at P100         101       ABM-26       0.12       120.4       24.5; 0.27 at P102         107       ABM-27       0.18       120.1       20.8; 0.23 at P108         114       ABM-28       0.12       121.0       16.2; 0.18 at P115         116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141	82	ABM-22	0.1	120.8	
99 ABM-25 0.11 121.2 19.9; 0.22 at P100 101 ABM-26 0.12 120.4 24.5; 0.27 at P102 107 ABM-27 0.18 120.1 20.8; 0.23 at P108 114 ABM-28 0.12 121.0 16.2; 0.18 at P115 116 ABM-29 0.06 120.6 13.0; 0.14 at P117 118 ABM-30 0.13 120.0 16.7; 0.18 at P119 120 ABM-31 0.07 119.4 12.3; 0.14 at P121 122 ABM-32 0.13 118.6 14.8; 0.16 at P123 123 ABM-33 0.13 116.9 28.7; 0.32 at P124 130 ABM-34 0.13 117.3 20.1; 0.22 at P131 136 ABM-35 0.13 119.0 15.8; 0.17 at P137 138 ABM-36 0.23 117.4 18.2; 0.20 at P139 140 ABM-37 0.15 116.1 37.4; 0.41 at P141 141 ABM-38 0.15 * 118.4 19.2; 0.21 at P142 145 ABM-39 0.15 116.8 21.4; 0.23 at P146 154 ABM-40 0.15 116.7 24.8; 0.27 at P155 155 ABM-41 0.08 116.2 16.7; 0.18 at P156 159 ABM-42 0.09 * 117.5 31.4; 0.34 at P160 160 ABM-43 0.17 * 119.4 14.0; 0.15 at P161 165 ABM-44 0.09 120.2 14.3; 0.15 at P166 169 ABM-45 0.17 118.0 13.7; 0.15 at P170	89	ABM-23	0.17	120.9	
99 ABM-25 0.11 121.2 19.9; 0.22 at P100 101 ABM-26 0.12 120.4 24.5; 0.27 at P102 107 ABM-27 0.18 120.1 20.8; 0.23 at P108 114 ABM-28 0.12 121.0 16.2; 0.18 at P115 116 ABM-29 0.06 120.6 13.0; 0.14 at P117 118 ABM-30 0.13 120.0 16.7; 0.18 at P119 120 ABM-31 0.07 119.4 12.3; 0.14 at P121 122 ABM-32 0.13 118.6 14.8; 0.16 at P123 123 ABM-33 0.13 116.9 28.7; 0.32 at P124 130 ABM-34 0.13 117.3 20.1; 0.22 at P131 136 ABM-35 0.13 119.0 15.8; 0.17 at P137 138 ABM-36 0.23 117.4 18.2; 0.20 at P139 140 ABM-37 0.15 116.1 37.4; 0.41 at P141 141 ABM-38 0.15 * 118.4 19.2; 0.21 at P142 145 ABM-39 0.15 116.8 21.4; 0.23 at P146 154 ABM-40 0.15 116.7 24.8; 0.27 at P155 155 ABM-41 0.08 116.2 16.7; 0.18 at P156 159 ABM-42 0.09 * 117.5 31.4; 0.34 at P160 160 ABM-43 0.17 * 119.4 14.0; 0.15 at P161 165 ABM-44 0.09 120.2 14.3; 0.15 at P166 169 ABM-45 0.17 118.0 13.7; 0.15 at P170	96	ABM-24	0.11	121.3	
107       ABM-27       0.18       120.1       20.8; 0.23 at P108         114       ABM-28       0.12       121.0       16.2; 0.18 at P115         116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P155         155       ABM-40       0.15       116.7       24.8; 0.27 at P155 <tr< td=""><td>99</td><td>ABM-25</td><td>0.11</td><td>121.2</td><td>19.9; 0.22 at P100</td></tr<>	99	ABM-25	0.11	121.2	19.9; 0.22 at P100
114       ABM-28       0.12       121.0       16.2; 0.18 at P115         116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-32       0.13       116.9       28.7; 0.32 at P124         130       ABM-33       0.13       117.3       20.1; 0.22 at P131         136       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P160 <tr< td=""><td>101</td><td>ABM-26</td><td>0.12</td><td>120.4</td><td>24.5; 0.27 at P102</td></tr<>	101	ABM-26	0.12	120.4	24.5; 0.27 at P102
116       ABM-29       0.06       120.6       13.0; 0.14 at P117         118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161	107	ABM-27	0.18	120.1	20.8; 0.23 at P108
118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166	114	ABM-28	0.12	121.0	
118       ABM-30       0.13       120.0       16.7; 0.18 at P119         120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166	116	ABM-29	0.06	120.6	
120       ABM-31       0.07       119.4       12.3; 0.14 at P121         122       ABM-32       0.13       118.6       14.8; 0.16 at P123         123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170    <	118	ABM-30	0.13	120.0	
123       ABM-33       0.13       116.9       28.7; 0.32 at P124         130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-31	0.07	119.4	
130       ABM-34       0.13       117.3       20.1; 0.22 at P131         136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-32	0.13	118.6	
136       ABM-35       0.13       119.0       15.8; 0.17 at P137         138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170	123	ABM-33	0.13	116.9	
138       ABM-36       0.23       117.4       18.2; 0.20 at P139         140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170	130	ABM-34	0.13	117.3	20.1; 0.22 at P131
140       ABM-37       0.15       116.1       37.4; 0.41 at P141         141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170	136	ABM-35		119.0	15.8; 0.17 at P137
141       ABM-38       0.15 *       118.4       19.2; 0.21 at P142         145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-36	0.23	117.4	
145       ABM-39       0.15       116.8       21.4; 0.23 at P146         154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-37	0.15	116.1	
154       ABM-40       0.15       116.7       24.8; 0.27 at P155         155       ABM-41       0.08       116.2       16.7; 0.18 at P156         159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170	141	ABM-38	0.15 *	118.4	
155     ABM-41     0.08     116.2     16.7; 0.18 at P156       159     ABM-42     0.09 *     117.5     31.4; 0.34 at P160       160     ABM-43     0.17 *     119.4     14.0; 0.15 at P161       165     ABM-44     0.09     120.2     14.3; 0.15 at P166       169     ABM-45     0.17     118.0     13.7; 0.15 at P170		ABM-39	0.15	116.8	21.4; 0.23 at P146
159       ABM-42       0.09 *       117.5       31.4; 0.34 at P160         160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-40	0.15		24.8; 0.27 at P155
160       ABM-43       0.17 *       119.4       14.0; 0.15 at P161         165       ABM-44       0.09       120.2       14.3; 0.15 at P166         169       ABM-45       0.17       118.0       13.7; 0.15 at P170		ABM-41			
165 ABM-44 0.09 120.2 14.3; 0.15 at P166 169 ABM-45 0.17 118.0 13.7; 0.15 at P170					
169 ABM-45 0.17 118.0 13.7; 0.15 at P170					
	171	ABM-46	0.17		
173 ABM-47 0.09 117.0 18.8; 0.20 at P174	173	ABM-47	0.09	117.0	18.8; 0.20 at P174

#### Atmospheric Density Prediction Using the Mars-GRAM Model

The Navigation Team used the exponential model as the basis for the estimation of the base density from doppler data analysis. Since the base altitude was always chosen to be close to the actual periapsis altitude, this density was essentially a periapsis density. However for predicting densities for future periapsis-passages, we used the Mars-GRAM (MG) model. One significant correction was made to Mars-GRAM based predictions. Based on our estimate of density for past orbits, we trended the density and the following ratio was calculated:

$$f = Navigation determined density / MG predicted density.$$
 (4)

From successive orbits, a three orbit, running mean, f-ratio was calculated. Thus the density used in the numerical integration of the drag equations of motion (Eq. 1) was adjusted as follows:

$$density(updated) = f * density(MG)$$
 (5)

thus providing a more accurate density for future predictions. Initially, the MG model was under-estimating the density (the average value for f was 1.21 for P78 to P103). After P104, the MG input climate factors were updated to account for actual observations made over the previous orbits. Initially, the density predictions were reasonably accurate. However, thereafter the average f value was 0.75 from P111 to P178 indicating that the model was over-estimating the atmospheric density. Figure 5 summarizes these results.




Figure 5 Atmospheric Density Ratio Used To Evaluate MG Model Predictions, Trend The Density And Generate A Three-Orbit Running Mean f-Ratio.

When this density ratio was plotted against the east longitude of the periapsis-passage location, a periodic trend was evident and unexpected. As shown in Figure 6, peaks occurred near 90 deg and 270 deg east longitude. We believe these are associated with the gross topography of Mars which also exhibits highs near these longitudes. This longitude dependence became an important tool for predicting densities, thus providing more accurate predictions over several orbits.




Figure 6 Periodic Trend Evident In The Density Ratio When Plotted As A Function Of The Longitude Of The Periapsis-Passage Location.

#### TERMINATION OF PHASE 1 AEROBRAKING

The objective of the exit ABM was to establish the SPO with a) an orbital period of 11 hr 38 min 30 sec (= 11.64 hours, osculating period at apoapsis) with a tolerance of 1 min 30 sec and b) a periapsis altitude of 170.0 km with a tolerance of 3.0 km. This maneuver was nominally targeted for A199 and once designed could not be updated. This period was selected in order to avoid ground track repeat patterns at nearby periods of 11.664 hours and 11.588 hours. Criteria for the selection of the periapsis altitude included a) consensus input by the scientists for optimal observations, b) be outside the atmosphere to avoid or minimize drag perturbations, and c) minimize the propellant required to reach this altitude. Due to fluctuations in the atmospheric density from periapsis to periapsis and the necessity of executing the final maneuver at a precise orbital period, a "walk-out" of the atmosphere was executed as shown in Table 5. This resulted in the exit ABM being executed at A201 instead of A199. Targeted and achieved SPO elements are given in Table 6.

Table 5
WALK-OUT ABMs EXECUTED TO END AEROBRAKING

Apoapsis and ABM	Velocity- Change Magnitude, m/sec_	Resultant Periapsis Altitude, km	Atmospheric Density and Dynamic Pressure at Periapsis, kg/km <sup>3</sup> ; N/m <sup>2</sup>
191 ABM-48	0.09	118.0	22.4; 0.24 at P192
193 ABM-49	0.17	119.8	14.8; 0.16 at P194
194 ABM-50	0.33	123.4	9.5; 0.10 at P195
201 ABM-51	4.43	170.7	0.08; 0.00 at P202

Table 6
SCIENCE PHASING ORBIT TARGETING RESULTS

Orbit Element	Target Value For A199 ABM	Target Value For A201 ABM	AchievedValue
Period, hr:min:sec Periapsis altitude, km	11:38:30 170.0	11:38:24 170.58	11:38:38 170.7

#### NAVIGATION CAPABILITY COMPARED TO REQUIREMENTS

Navigation easily satisfied the two major requirements (predict  $Tp \le 225$  sec and predict  $hp \le 1.5$  km) for all orbits from MOI to the end of AB. This was monitored by accurately determining or reconstructing the Tp (accuracy  $\le 0.1$  sec) for each of the 201 orbits by the doppler analysis strategy previously mentioned. For each analysis, at least three predicted orbits were generated. Differences, such as Tp(reconstructed for orbit n) minus Tp(reconstructed for orbit n-1 but predicted one orbit ahead to orbit n), were plotted as shown in Figure 7. Almost all these differences are less than 2 sec with a few as high as 4-6 sec. As the period reduction became smaller, the predicted Tp accuracy correspondingly improved. A similar analysis was made for tp with the results given in Figure 8. All of the single orbit predictions are within 0.1 km of the known or reconstructed altitudes at periapsis-passage. Note that over this time interval, the latitude of periapsis-passage varied from 32.1 deg to 61.0 deg North and the orbit period was reduced from 45.0 to 11.64 hours.




Figure 7 Accuracy Of Tp Predictions When Predicting One Orbit Ahead.




Figure 8 Accuracy Of The Periapsis Altitude, hp, Predictions When Predicting One Orbit Ahead.

#### **ACKNOWLEDGMENT**

The work described in this paper was performed at the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

The Navigation Team gratefully acknowledges the support and interaction with many members of the MSOP flight team throughout the MGS mission.

#### REFERENCES

- 1. P. Esposito et al, "Navigation and the Mars Global Surveyor Mission," Proceedings of the 12th International Symposium on Space Flight Dynamics, ESOC, Darmstadt, Germany, 2-6 June 1997.
- 2. M. D. Johnston et al, "Mars Global Surveyor Aerobraking at Mars," AAS/AIAA Space Flight Mechanics Meeting, Paper AAS 98-112, Monterey, CA, 9-11 Feb 1998.
- 3. M. Dornheim, "Crooked Solar Wing Forces MGS Aerobraking Changes," Aviation Week and Space Technology, p. 26, 15 Sept 1997 and B. Smith, "Solar Panel Problem Triggers Major MGS Assessment, "Aviation Week and Space Technology, pp. 25-27, 20 Oct 1997.
- 4. A. Konopliv and W. Sjogren, The JPL Mars Gravity Field, Mars 50c, Based Upon Viking and Mariner 9 Doppler Tracking Data," JPL Publication 95-5, Feb 1995.
- 5. C. G. Justus et al, "A Revised Thermosphere for the Mars Global Reference Atmospheric Model (Mars-GRAM Version 3.4)," NASA Technical Memorandum 108513, Marshall Space Flight Center, July, 1996.
- 6. T. Sterne, An Introduction to Celestial Mechanics, Interscience Publishers Inc., New York, 1960, pp. 158-160.
- 7. A. Seiff and D. Kirk, "Structure of the Atmosphere of Mars in Summer at Mid-Latitudes," J. Geophysical Research, Vol 2, No 28, pp. 4364-4378, 1977.
- 8. G. Keating et al, "The Structure of the Upper Atmosphere of Mars: In Situ Accelerometer Measurements from Mars Global Surveyor," Science, Vol 279, pp. 1672-1676, 13 March 1998.